

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** 34-62-B Black
- **Registration number**  
The ingredients of this ink have been pre-registered according to 1907/2006/EC (REACH)
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Currently no such applications are identified
- **Application of the substance / the mixture** Rollerball Ink
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SHANGHAI DOKUMENTAL INK Co. Ltd.  
No. 38 Lane 451 Mao Jia Road  
Luodian Town, Baoshan District  
Shanghai 201908 , P.R. China  
Tel.: 86-21-66864551 / 66864542
- **Further information obtainable from:**  
Ms. Cindy Song  
Email: cindy.song@dokumental.cn
- **1.4 Emergency telephone number:**  
Mr. Bruce Gindelberger  
Tel.: mobile +86-13917914495  
Email: bruce.gindelberger@dokumental.cn

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS08 health hazard

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Xn; Harmful

R22: Harmful if swallowed.

- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS08

- **Signal word** Warning
- **Hazard-determining components of labelling:**  
ethanediol
- **Hazard statements**  
H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.
- **Precautionary statements**  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P314 Get medical advice/attention if you feel unwell.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Trade name: 34-62-B Black

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures  
Mixture of the following substances, containing non-hazardous substances and colouring agents.
- Description: Mixture of substances listed below with nonhazardous additions.

#### Dangerous components:

CAS: 107-21-1 EINECS: 203-473-3	ethanediol Xn R22 STOT RE 2, H373; Acute Tox. 4, H302	25-50%
CAS: 89106-93-4 EC number: 618-240-5	Direct Violet 99 Xi R36 Eye Irrit. 2, H319	2,5-10%

- Additional information: For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed  
No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed  
No further relevant information available.

### SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- 6.4 Reference to other sections  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- 7.1 Precautions for safe handling  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- Information about fire - and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- Storage:  
Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 3)

Trade name: 34-62-B Black

(Contd. of page 2)

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

107-21-1 ethanediol (25-50%)

IOELV	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Skin
-------	--

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Black
Odour:	Product specific
Odour threshold:	Not determined.

· **Important information on protection of health and environment, and on safety.**

-  
-

· **pH-value at 25 °C:** 7,2-8,2

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C

· **Flash point:** 111 °C

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** 410 °C

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· **Explosion limits:**

Lower:	3,2 Vol %
Upper:	53,0 Vol %

· **Vapour pressure at 20 °C:** 23 hPa

Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

· **Solubility in / Miscibility with water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

(Contd. on page 4)

Trade name: 34-62-B Black

(Contd. of page 3)

- |                                |  |
|--------------------------------|--|
| · <b>Viscosity:</b>            |  |
| Dynamic:                       | Not determined.                            |
| Kinematic:                     | Not determined.                            |
| · <b>Solvent content:</b>      |  |
| Organic solvents:              | 0,0 %                                      |
| Water:                         | 20,6 %                                     |
| · <b>Solids content:</b>       | 0,5 %                                      |
| · <b>9.2 Other information</b> | No further relevant information available. |

## SECTION 10: Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:  
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitisation: No sensitising effects known.
- Additional toxicological information:  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Harmful

## SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

## SECTION 14: Transport information

- |                                |      |
|--------------------------------|------|
| · 14.1 UN-Number               |      |
| · ADR, ADN, IMDG, IATA         | Void |
| · 14.2 UN proper shipping name |      |
| · ADR, ADN, IMDG, IATA         | Void |

(Contd. on page 5)

EU

Trade name: 34-62-B Black

(Contd. of page 4)

- |  |                 |
|--|-----------------|
| · 14.3 Transport hazard class(es)  |                 |
| · ADR, ADN, IMDG, IATA   |                 |
| · Class  | Void            |
| · 14.4 Packing group   |                 |
| · ADR, IMDG, IATA  | Void            |
| · 14.5 Environmental hazards:  |                 |
| · Marine pollutant:  | No              |
| · 14.6 Special precautions for user  | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation":   | -               |

## SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- National regulations:
- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H302 Harmful if swallowed.  
H319 Causes serious eye irritation.  
H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure:  
Oral.
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2
- **\* Data compared to the previous version altered.**